

## SUBJECT INDEX\*

### A

- Acanthosis nigricans, benign, obesity-associated, neuropeptides and, 7
- Acetic acid, epidermal hyperplasia induced by, dimethylbenzanthracene and, 430
- Acid hydrolase, epidermis, subcellular localization and relationship to cornification, 441
- Adenosine 3':5'-monophosphate
  - protein kinase dependent on, phosphorylation, 108
  - protein kinase isozymes dependent on, normal and psoriatic subjects, 111
- Adenylate cyclase
  - activity stimulation in keratinocytes,  $\alpha$ - and  $\beta$ -adrenergic agonist characterization, 503
  - $\beta$ -adrenergic, glucocorticoid effects on, 524
- Adrenergic agonists, stimulation of adenylate cyclase activity, epidermal keratinocytes, 503
- Aging, chronologic and actinically induced, facial skin, S39
- $\beta$ -Agonist, refractoriness induced by, reversal, tetracaine and mepacrine, 237
- Albinism, oculocutaneous, prenatal diagnosis, 210
- n*-Alcohols, partition and diffusion, 2-pyrrolidone and dimethylformamide mode of action, 507
- Alloantigen, presentation by epidermal cells, inhibition by ultraviolet radiation, 485
- Amniotic fluid, fetal skin cells and, epidermolytic hyperkeratosis, 222
- Amyloidogenesis, organ-limited cutaneous amyloidosis, antigenic identity between epidermal keratin and skin amyloid, 66
- Amyloidosis, organ-limited cutaneous, amyloidogenesis in, 66
- Amyloid P component, distribution, 86
- Anacardiaceae, poisonous, oral desensitization, immunologic studies, 149
- Anthrakinone, physicochemical properties and stability, model systems and human skin, 1
- Antibody
  - anti-RO(SSA), vasculitis in Sjögren's syndrome, 386
  - class-specific, gluten, dermatitis herpetiformis, 402
  - monoclonal
    - KF-1, basement membrane antigen defined by, 392
    - Langerhans cell markers, 100
  - Pityrosporum orbiculare*, tinea versicolor and, 133
  - Propionibacterium acnes*, comedonal extracts, 9
- Antigen
  - basement membrane, squamous epithelial, 392
  - desmosomal, pemphigus autoimmune sera, 475
  - determinant, chromium contact sensitivity, 44

- epidermal keratin and skin amyloid, identity between, 66
- HLA-A,B,C, location in dendritic cells, 481
- Ia and T6 expression, histiocytosis X cells in eosinophilic granuloma, 405
- melanoma-associated, localization in melanoma, 459
- pemphigoid, heterogeneity of, 16
- T-cell lines specific for, 1-chloro-2,4-dinitrobenzene-contact sensitivity, 398
- Antizyme, release, ornithine decarboxylase induction by hair plucking, 97
- Arachidonic acid
  - ear edema induced by, tachyphylaxis in, 48
  - increased concentrations, UVA radiation, 496
- Arthritis, psoriatic, T-cell subset aberrations in, 286
- ATPase, Langerhans cell staining, EDTA separation and, 104
- Autoimmunity, pemphigus, desmosomal antigens and, 475

### B

- Barrier function, desquamation, epidermal lipids, and, 44S
- Basal cell, epithelioma, fibronectin and laminin in, 446
- Basement membrane
  - marker alterations, PUVA, 172
  - squamous epithelial antigen, definition by monoclonal antibody (KF-1), 392
- Basophil, infiltration, erythema multiforme and, 282
- B-cells, interaction with T-cells, immunoregulation in atopic dermatitis, 139
- Blood, peripheral, T-cell subsets, T-cell lymphomas and benign inflammatory dermatoses, 60
- Blood flow, cutaneous, evaluation, 12

### C

- Caffeine, partition and diffusion, 2-pyrrolidone and dimethylformamide mode of action, 507
- Capsaicin, sensory nerve endings and urticaria, 34
- Carcinogenesis, photoaugmentation and, 416
- Cell cycle, kinetics, keratinocytes, 423
- Chemotherapy, malignant melanoma, 61S
- 1-Chloro-2,4-dinitrobenzene, contact sensitivity, antigen-specific T-cell lines in, 398
- Chromium, contact sensitivity, determinants in, 44
- Circadian rhythm, letter, 79
- Coal tar, psoralens and, cutaneous photosensitivity reactions to, 66S
- Collagen
  - matrix, epidermolysis bullosa dystrophica fibroblast behavior, 56
  - production, inhibition by proline analogues, 261
- Comedones, extracts, anti-*Propionibacterium acnes* antibody in, 9
- Complement
  - activation by *Pityrosporum orbiculare*, 93
  - activation by *Trichophyton rubrum*, 156

- binding in skin cells, altered differentiation, 490
- Contact sensitivity, 1-chloro-2,4-dinitrobenzene, antigen-specific T-cell lines in, 398
- Cornification, acid hydrolase relationship to, 441
- 5-S-Cysteinyl-dopa, dopa and melanogenesis, 207

### D

- Death
  - clinical stage I melanoma, 50S
  - factors associated with, 53S
- Dendritic cells, HLA-A,B,C antigen location in, immunoelectron microscopy, 481
- Dermatitis
  - atopic
    - immunoregulation in, 139
    - modulating effects of enzymes on T $\gamma$  and T $\mu$  cells, 53
- Dermatitis herpetiformis
  - circulating immune complex levels, dietary gluten challenge effects, 468
  - class-specific antibodies to gluten, 402
- Dermatosis, benign inflammatory, T-cell subsets, 60
- Desmosome, antigens, pemphigus autoimmune sera, 475
- Desquamation, epidermal lipids, barrier function, and, 44S
- Diet, origin of plant sterols, skin surface lipids, 294
- Differentiation, altered, complement binding in skin cells with, 490
- 3,4-Dihydroxybenzylamine, improved dopamine analog, melanoma cell cytotoxicity and, 119
- Dimethylbenzanthracene
  - epidermis initiated by, ribosomal RNA synthesis and growth in, 73
  - skin initiated with, acetic acid-induced epidermal hyperplasia and, 430
- Dimethylformamide, 2-pyrrolidone and, partition and diffusion of water, *n*-alcohols, and caffeine, 507
- DNA
  - epidermal, pyrimidine dimer induction by UVB, 188
  - repair, actinic keratosis, 241
- DNA polymerase, oxidation products inhibitory to, 3,4-dihydroxybenzylamine and, 119
- Dopa, free and protein-bound, melanogenesis and, 207
- Dopamine, improved analog, 3,4-dihydroxybenzylamine, 119

### E

- Ear, edema, 12-O-tetradecanoylphorbol acetate- and arachidonic acid-induced, 48
- Edema, ear, 12-O-tetradecanoylphorbol acetate- and arachidonic acid-induced, 48
- EDTA, separation, ATPase Langerhans cell staining and, 104
- Electrophoresis, hair and nail protein characterization by, 519
- Embryo, maturation, facial hair sensory terminals, 245

\*Page numbers followed by S indicate articles appearing in Supplement 1, June 1983.

- Enzyme, modulating effects on T $\gamma$  and T $\mu$  cells, atopic dermatitis, 53
- Eosinophil, hydrogen peroxide release from, 278
- Epidermal cell, alloantigen presentation by, inhibition by ultraviolet radiation, 485
- Epidermal growth factor, sebaceous gland stimulation by, 516
- Epidermis  
basal layer, plasminogen presence in, 297  
fibrous protein of, 36S  
initiated and promoted, ribosomal RNA synthesis and growth, 73  
lipids, barrier function, desquamation, and, 44S  
psoriatic, glycoprotein composition of, 20  
reepithelializing, fibronectin beneath, 26S  
transglutaminase, 39S
- Epidermodysplasia verruciformis, flat warts, HPV-3-related papillomaviruses and, 436
- Epidermolysis bullosa dystrophica, fibroblast behavior, collagen matrix, 56
- Epithelioma, basal cell, fibronectin and laminin in, 446
- Erythema  
metabolic change and, ultraviolet radiation, sunscreen protection and, 191  
multiforme, vascular damage, lymphocytes and basophils in, 282
- Ethylenediaminetetraacetic acid, *see* EDTA
- Etretinate, psoriasis therapy, decreased urinary polyamines, 181
- Eumelanin, pheomelanin and, quantitative analysis in hair and melanomas, 268

## F

- Face  
chronologic and actinically induced aging in, 81S  
hairs, embryonic maturation of sensory terminals, 245
- Fc receptor, T-cells bearing, immunoregulation in atopic dermatitis, 139
- Festschrift, Thomas B. Fitzpatrick—a powerful difference, 3S
- Fetus  
prenatal diagnosis of oculocutaneous albinism, 210  
skin cells, epidermolytic hyperkeratosis, 222
- Fibroblast  
epidermolysis bullosa dystrophica, behavior within collagen matrix, 56  
scleroderma, increased procollagen mRNA levels in, 130  
skin, growth inhibition, proline analogues and, 261
- Fibronectin  
laminin and, basal cell epithelioma, 446  
reepithelializing epidermis and, sources and significance, 26S  
*Staphylococcus aureus* receptor for, 494
- Flowmeter, Laser-Doppler, cutaneous blood flow response evaluation, 12
- Follicle, hair, basal lamina changes during tissue interactions in, 27

## G

- Gelatinase, regulation by glucocorticoids, 42S
- Gland, vitamin A-induced morphogenesis, basal lamina changes during interactions in hair follicles, 27
- Glucocorticoid  
 $\beta$ -adrenergic adenylate cyclase system, effects on, 524

- gelatinase regulation by, 42S
- Glucocorticosteroids, effects on Langerhans cells, 168
- Gluten  
class-specific antibodies to, dermatitis herpetiformis, 402  
dietary challenge, effects on circulating immune complexes, dermatitis herpetiformis, 468
- Glycoprotein  
cell surface and shed, plasma membrane in keratinocytes, 24  
composition, psoriatic epidermis, 20
- Granuloma, eosinophilic, histiocytosis X cells, Ia and T6 antigen expression, 405

## H

- Hair  
black and red, melanin, physical and chemical properties, 202  
facial, embryonic maturation of sensory terminals, 245  
melanoma and, eumelanin and pheomelanin, quantitative analysis, 268  
nail and, protein characterization by electrophoresis, 519  
normal and trichothiodystrophic, protein comparison, 195  
plucking, ornithine decarboxylase induction, antizyme release and, 97
- Hapten, topical application, immunologic unresponsiveness induced by, PUVA-treated skin, 90
- Histamine  
increased concentrations, UVA radiation, 496  
metabolism, mastocytosis, 410
- Histiocytosis, X cells, Ia and T6 antigen expression, eosinophilic granuloma, 405
- HLA-DR, Langerhans cell markers, monoclonal antibody study, 100
- HLA-DR5, association with mycosis fungoides and Sézary's syndrome, 395
- Horny cells, normal and psoriatic, characterization of keratin polypeptides, 185
- Hydrogen peroxide, release from eosinophils, 278
- Hyperkeratosis, epidermolytic, fetal skin and amniotic fluid cells in, 222
- Hyperplasia, epidermal, acetic acid-induced, 430
- Hypersensitivity, photocontact, 3,3',4',5'-tetrasalicylanilide, UVB radiation and, 158

## I

- IgA, circulating immune complexes, psoriasis and, 465
- Immune complex  
circulating  
dermatitis herpetiformis, gluten challenge effects, 468  
psoriasis and, 465
- Immunoglobulin, anti-*Propionibacterium acnes* antibody and, comedonal extracts, 9
- Inflammation  
benign dermatoses, T-cell subsets, skin and peripheral blood, 60  
cutaneous, mast cells in, 22S
- Insecticide, percutaneous penetration, 291
- Irradiation  
ultraviolet, *see* Ultraviolet radiation  
pulsed, selective thermal effects with, 75S
- Isozyme, protein kinase, adenosine 3':5'-

- monophosphate-dependent, psoriasis and, 111

## K

- Keratin  
epidermal, skin amyloid and, antigenic identity between, 66  
polypeptides, normal and psoriatic horny cells, 185  
synthesis and protein composition, differentiation, 37
- Keratinocyte  
adenylate cyclase activity in,  $\alpha$ - and  $\beta$ -adrenergic agonist stimulation of, 503  
cultured, cell cycle kinetics, 423  
cultured newborn rat, growth and differentiation, 124  
differentiation  
plasminogen activator in, 217  
rapid modulation, 228  
epidermal, growth and differentiation, 37  
psoriatic and normal, plasma membrane in, 24  
surface and basement membrane markers, alterations by PUVA, 172
- Keratosis, actinic, DNA repair, 241

## L

- Lamina, basal, changes during tissue interactions, hair follicles, 27
- Laminin, fibronectin and, basal cell epithelioma, 446
- Langerhans cells, 17S  
ATPase staining, EDTA separation and, 104  
corticosteroid effects on, 168  
monoclonal antibody study, T6 and Ia(HLA-DR) as markers, 100  
quantitation, sarcoidosis and, 472
- Laser  
pulsed irradiation from, selective thermal effects with, 75S  
skin treated with, spectrophotometric evaluation of port-wine stain, 420
- Lectin, binding patterns, melanocytes and melanoma cells, 272
- Lentigenes, solar, nevi, melanoma and, 452
- Leprosy, two polar types, plasminogen activator and immune, 81
- Lesion, spectrophotometric evaluation of port-wine stain, 420
- Letters to the editor, 79, 300, 529
- Leukotrienes, synthetic, local effects, 115
- Lipid  
epidermal, barrier function, desquamation, and, 44S  
skin surface, dietary origin of plant sterols in, 294
- Liposome, 3-n-pentadecylcatechol-containing, tolerance to toxicodendron, 145
- Lymphocyte, infiltration, erythema multiforme and, 282
- Lymphoid tissue, skin-associated, origins and functions, 12S
- Lymphoma, cutaneous T-cell, T-cell subsets, 60

## M

- Macrophage, effect of tumor-facilitating factor on, B16 melanoma, 162
- Mast cell, cutaneous inflammatory disorders and, 22S
- Mastocytosis, histamine metabolism in, 410
- Melanin, black and red hair, physical and chemical properties, 202

Melanocyte, intraepidermal, increased frequency, nevi and melanoma, 452

Melanocytes, melanoma cells and, identical lectin binding patterns, 272

Melanoma

- acral, Japan, 56S
- B16, tumor-facilitating factor, effects on macrophage, 162
- B16 and Harding-Passey, dopa and 5-S-cysteinyl-dopa, 207
- cells, melanocytes and, lectin binding patterns, 272
- clinical stage I, death from, 50S, 53S
- cutaneous, dysplastic melanocyte nevi and, melanocyte frequency, 452
- hair and, eumelanin and pheomelanin, quantitative analysis, 268
- localization of melanoma-associated antigen p97 in, 459
- malignant, chemotherapy of, 61S
- minimal deviation, histologic variant of cutaneous melanoma, vertical growth phase, 63S

Melanoma cell, cytotoxicity, 3,4-dihydroxybenzylamine and, 119

Melanosome, morphologic differentiation, dopa, 5-S-cysteinyl-dopa and melanogenesis, 207

Mepacrine, tetracaine and, reversal of  $\beta$ -agonist-induced refractoriness by, 237

8-Methoxypsoralen, keratinocyte surface and basement membrane marker alterations with, 172

mRNA, procollagen, increased levels, scleroderma, 130

Mycosis fungoides, Sézary syndrome and, HLA-DR5 association with, 395

**N**

Nail, hair and, protein characterization by electrophoresis, 519

Neuropeptide, obesity-associated benign acanthosis nigricans, pathogenesis, 7

Nevi, dysplastic melanocytic, 452

Nicotinate, pharmacodynamics, noninvasive assessment by photoplethysmography, 499

**O**

Obesity, benign acanthosis nigricans associated with, neuropeptides in pathogenesis, 7

Ornithine decarboxylase, induction by hair plucking, antizyme release and, 97

Ozone, stratospheric, decreased, simulation, ultraviolet radiation and, 416

**P**

Papilla, dermal, vitamin A-induced glandular morphogenesis and, 27

Papillomavirus, HPV-3 related, epidermodysplasia verruciformis and, 436

Pemphigoid, antigens, heterogeneity of, 16

Pemphigus, autoimmune sera, desmosomal antigens and, 475

Penetration enhancer, 2-pyrrolidone and dimethylformamide, mode of action on partition and diffusion of water, *n*-alcohols, and caffeine, 507

3-*n*-Pentadecylcatechol, liposomes containing, tolerance to toxicodendron, 145

Percutaneous penetration, insecticides, 291

Pharmacodynamics, local nicotinate, noninvasive assessment by photoplethysmography, 499

Pheomelanin, eumelanin and, quantitative analysis in hair and melanomas, 268

Phosphorylation, epidermal soluble protein, adenosine 3':5'-monophosphate-dependent protein kinase, 108

Photoaugmentation, carcinogenesis and, 416

Photoplethysmography, local nicotinate pharmacodynamic assessment by, 499

Photosensitivity, cutaneous reactions, psoralens and coal tar, 66S

*Pityrosporum orbiculare*

- antibodies to, tinea versicolor and, 133
- complement activation by, 93

Plant, sterol, dietary origin in skin surface lipids, 294

Plasma, dietary origin of plant sterols in skin surface lipids, 294

Plasma membrane

- keratinocyte, retinoid effects, psoriasis, 174
- normal and psoriatic keratinocytes, cell surface and shed glycoproteins, 24

Plasminogen, presence in basal layer of epidermis, 297

Plasminogen activator

- differentiating keratinocytes and, 217
- inhibitor and, leprosy, 81

Poison ivy, oral desensitization to urushiol, immunologic studies of poisonous anacardiaceae, 149

Poison oak, oral desensitization to urushiol, immunologic studies of poisonous anacardiaceae, 149

Polyamine, urinary, etretinate-treated psoriasis, effects on, 181

Polypeptide, keratin, normal and psoriatic horny cells, 185

Port-wine stain, spectrophotometric evaluation, 420

Procollagen, increased mRNA levels, scleroderma skin fibroblasts, 131

Proline, analogues, skin fibroblast growth and collagen production inhibition by, 261

*Propionibacterium acnes*, antibody, comedonal extracts, 9

Prostaglandins,  $E_2$ ,  $D_2$  and 6-oxo- $F_{1\alpha}$ , increased concentrations after UVA radiation, 496

Protein

- composition changes, keratinocyte differentiation and, 37
- fibrous, fish epidermis, 36S
- hair and nail, characterization by electrophoresis, 519
- normal and trichothiodystrophic hair, 195

Protein kinase

- adenosine 3':5'-monophosphate-dependent
- isozymes, normal and psoriatic subjects, 111
- phosphorylation, 108

Psoralens, coal tar and, cutaneous photosensitivity reactions to, 66S

Psoralen/ultraviolet A radiation, *see* PUVA

Psoriasis

- adenosine 3':5'-monophosphate-dependent protein kinase isozymes and, 111
- circulating IgA immune complexes and, 465
- etretinate therapy, decreased urinary polyamines, 181
- glycoprotein composition of epidermis, growth control and, 20
- horny cells, characterization of keratin polypeptides, 185
- keratinocyte plasma membrane from, retinoid effects, 174
- keratinocytes, plasma membrane in, 24
- psoriatic arthritis and, T-cell subset ab-

- errations in, 286
- skin transplantation, 31S

PUVA

- keratinocyte surface and basement membrane marker alterations with, 172
- skin treated with, topical application of hapten, immunologic unresponsiveness, 90

Pyrimidine, dimer induction by UVB, epidermal DNA, 188

2-Pyrrolidone, dimethylformamide and, partition and diffusion of water, *n*-alcohols, and caffeine, 507

**R**

Radiation, UVB, role in photocontact hypersensitivity induction, 158

Receptor, *Staphylococcus aureus*, fibronectin, 494

Retinoid, effects on plasma membrane keratinocytes, psoriasis, 174

Reviews of books and audiovisual aids

- How to Write and Publish a Scientific Paper*, 215
- Occupational Contact Dermatitis. Clinical and Chemical Aspects*, 300
- 1983 USP DI—Vol. 1, Drug information for the Health Care Provider; Vol. 2, Advice for the Patient*, 215
- Viral Warts: Their Biology and Treatment*, 300

RNA, ribosomal, synthesis and growth, initiated and promoted epidermis, 73

**S**

Sarcoidosis, cutaneous Langerhans cells, quantitation, 472

Scleroderma, skin fibroblasts, increased procollagen mRNA levels in, 130

Sebaceous gland, stimulation by epidermal growth factor, 516

Sensitivity, contact, chromium, determinants in, 44

Sensory nerve, endings, involvement in cold and heat urticaria, 34

Sensory terminals, facial hair, embryonic maturation, 245

Sézary's syndrome, mycosis fungoides and, HLA-DR5 association with, 395

Sjögren's syndrome, cutaneous manifestations, vasculitis in, 386

Skin, T-cell subsets in, T-cell lymphomas and benign inflammatory dermatoses, 60

Society for Investigative Dermatology, Inc. and European Society for Dermatological Research Joint International Meeting, abstracts, 302

*Staphylococcus aureus*, receptor for fibronectin, 494

Steroid sulfatase, failure to desulfate vitamin  $D_3$  sulfate, 514

Sterol, plant, dietary origin in skin surface lipids, 294

Stratum corneum, membrane couplets, x-ray diffraction analysis, 213

Sunscreen, erythema and metabolic change dissociation after, ultraviolet radiation, 191

**T**

Tachyphylaxis, 12-O-tetradecanoylphorbol acetate- and arachidonic acid-induced ear edema and, 48

T-cell

- antigen-specific, 1-chloro-2,4-dinitrobenzene-contact sensitivity, 398

interaction with B-cells, immunoregulation in atopic dermatitis, 139  
 subset aberrations, psoriasis and psoriatic arthritis, 286  
 subsets in skin and peripheral blood, T-cell lymphomas and benign inflammatory dermatoses, 60  
 T $\gamma$ -cells, modulating effects of enzymes on, atopic dermatitis, 53  
 T $\mu$ -cells, modulating effects of enzymes on, atopic dermatitis, 53  
 Tetracaine, mepacrine and, reversal of  $\beta$ -agonist-induced refractoriness by, 237  
 3,3',4',5-Tetrachlorosalicylanilide, photocontact hypersensitivity to, role of UVB radiation in, 158  
 12-O-Tetradecanoylphorbol acetate ear edema induced by, tachyphylaxis in, 48  
 epidermis promoted by, ribosomal RNA synthesis and growth in, 73  
 Thermal effects, pulsed irradiation from lasers, 75S  
 Thymocyte-activating factor, epidermal cell-derived, reversal of ultraviolet radiation inhibition of alloantigen presentation, 485  
 Tinea versicolor, antibodies to *Pityrosporum orbiculare* in, 133  
 Tissue, granulomatous, plasminogen activator and inhibitor, leprosy, 81  
 Tolerance, epicutaneous trinitrochloroben-

zene, strain variation, 383  
 Toxicodendron, tolerance to, 3-n-pentacylcatechol-containing liposome-induced, 145  
 Transglutaminase, epidermal, 39S  
 Transplantation, psoriatic skin, 31S  
*Trichophyton rubrum*, complement activation by, 156  
 Trichothiodystrophy, normal hair and, protein comparison, 195  
 Trinitrochlorobenzene, epicutaneous application, tolerance induction, strain variation, 383  
 Tumor, facilitating factor of B16 melanoma, effects on macrophage, 162

## U

Ultraviolet radiation  
 alloantigen presentation by epidermal cells, inhibition by, 485  
 decreased stratospheric ozone simulation, photoaugmentation and carcinogenesis, 416  
 erythema and metabolic response to, sunscreen protection and, 191  
 UVA, increased concentrations of arachidonic acid, prostaglandins, and histamines after, 496  
 UVB  
 photocontact hypersensitivity to 3,3',4',5-tetrachlorosalicylanilide, role of radiation in induction of, 158  
 pyrimidine dimer induction by, epider-

mal DNA, 188  
 Urine, decreased polyamines, etretinate-treated psoriasis, 181  
 Urticaria, cold and heat, sensory nerve ending involvement in, 34  
 Urushiol, poison ivy and oak, oral desensitization, 149

## V

Valence, antigenic determinant formation, chromium contact sensitivity, 44  
 Vascular system, damage, erythema multiforme and, 282  
 Vasculitis, primary Sjögren's syndrome, 386  
 Vitamin A, glandular morphogenesis and, basal lamina changes during interactions in hair follicles, 27  
 Vitamin D<sub>3</sub> sulfate, failure of steroid sulfatase to desulfate, 514

## W

Wart, common and flat, papillomavirus and epidermodysplasia verruciformis, 436

## X

X cell, histiocytosis, granuloma, Ia and T6 antigen expression, 405  
<sup>133</sup>Xenon, washout, cutaneous blood flow response evaluation, 12  
 X-ray, diffraction analysis, stratum corneum membrane couplets, 213